



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/475,830	12/30/1999	RICHARD NORRIS DODGE II	11710-0111	6932

23594 7590 09/17/2002

JOHN S. PRATT
KILPATRICK STOCKTON LLP
1100 PEACHTREE
SUITE 2800
ATLANTA, GA 30309

[REDACTED] EXAMINER

PRATT, CHRISTOPHER C

ART UNIT	PAPER NUMBER
1771	11

DATE MAILED: 09/17/2002

Please find below and/or attached an Office communication concerning this application or proceeding.

Advisory Action	Application No.	Applicant(s)
	09/475,830	DODGE II ET AL.
	Examiner	Art Unit
	Christopher C. Pratt	1771

--The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

THE REPLY FILED 28 August 2002 FAILS TO PLACE THIS APPLICATION IN CONDITION FOR ALLOWANCE. Therefore, further action by the applicant is required to avoid abandonment of this application. A proper reply to a final rejection under 37 CFR 1.113 may only be either: (1) a timely filed amendment which places the application in condition for allowance; (2) a timely filed Notice of Appeal (with appeal fee); or (3) a timely filed Request for Continued Examination (RCE) in compliance with 37 CFR 1.114.

PERIOD FOR REPLY [check either a) or b)]

- a) The period for reply expires 3 months from the mailing date of the final rejection.
- b) The period for reply expires on: (1) the mailing date of this Advisory Action, or (2) the date set forth in the final rejection, whichever is later. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of the final rejection.
ONLY CHECK THIS BOX WHEN THE FIRST REPLY WAS FILED WITHIN TWO MONTHS OF THE FINAL REJECTION. See MPEP 706.07(f).

Extensions of time may be obtained under 37 CFR 1.136(a). The date on which the petition under 37 CFR 1.136(a) and the appropriate extension fee have been filed is the date for purposes of determining the period of extension and the corresponding amount of the fee. The appropriate extension fee under 37 CFR 1.17(a) is calculated from: (1) the expiration date of the shortened statutory period for reply originally set in the final Office action; or (2) as set forth in (b) above, if checked. Any reply received by the Office later than three months after the mailing date of the final rejection, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

1. A Notice of Appeal was filed on _____. Appellant's Brief must be filed within the period set forth in 37 CFR 1.192(a), or any extension thereof (37 CFR 1.191(d)), to avoid dismissal of the appeal.
2. The proposed amendment(s) will not be entered because:
 - (a) they raise new issues that would require further consideration and/or search (see NOTE below);
 - (b) they raise the issue of new matter (see Note below);
 - (c) they are not deemed to place the application in better form for appeal by materially reducing or simplifying the issues for appeal; and/or
 - (d) they present additional claims without canceling a corresponding number of finally rejected claims.

NOTE: _____.

3. Applicant's reply has overcome the following rejection(s): _____.
4. Newly proposed or amended claim(s) _____ would be allowable if submitted in a separate, timely filed amendment canceling the non-allowable claim(s).
5. The a) affidavit, b) exhibit, or c) request for reconsideration has been considered but does NOT place the application in condition for allowance because: See Continuation Sheet.
6. The affidavit or exhibit will NOT be considered because it is not directed SOLELY to issues which were newly raised by the Examiner in the final rejection.
7. For purposes of Appeal, the proposed amendment(s) a) will not be entered or b) will be entered and an explanation of how the new or amended claims would be rejected is provided below or appended.

The status of the claim(s) is (or will be) as follows:

Claim(s) allowed: _____.

Claim(s) objected to: _____.

Claim(s) rejected: 2-23, 31 and 32.

Claim(s) withdrawn from consideration: _____.

8. The proposed drawing correction filed on _____ is a) approved or b) disapproved by the Examiner.

9. Note the attached Information Disclosure Statement(s)(PTO-1449) Paper No(s). _____.

10. Other: _____.

Continuation of 5, does NOT place the application in condition for allowance because: Applicant argues that the claims are definite over USC 112 because the specification teaches various possible embodiments of absorbent structures. Applicant states that the structure containing the superabsorbent material is not a novel aspect of the invention. If applicant has invented a novel composition, the examiner suggests submitting claims drawn to a composition rather than to an absorbent material. The instant absorbent structure claims do not make any attempt to define the structure and are therefore indefinite. Applicant states that the specification provides several possible embodiments, but that other embodiments are also possible. This open-ended list of possibilities does not provide any limitations on the metes and bounds of the claims.

In response to applicant's inquiry, the five references previously cited are all used individually and alternatively to reject the instant claims because each teaches applicant's claimed supersorbent material. Applicant argues that the superabsorbent taught in these references do not teach applicant's claimed GBP or AUL. However, applicant does not dispute that all these references teach the claimed superabsorbent; sodium polyacrylate. The instant specification teaches that sodium polyacrylate has the suitable GBP and AUL values and does not state that the superabsorbent is modified to achieve the claimed values. Therefore, unless the specification lacks a pertinent disclosure the references cited by the examiner inherently have applicant's claimed values. .



TERREL MORRIS
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 1700